




	Ürün Kodu	KLY	Boy	KY	KP	Vida	PA
Düz Pimli	10001.0270.0.2	440 - 530	270	210 - 265	-	-	10
	10001.0440.0.2	530 - 700	440	265 - 350	-	2	10
	10001.0940.0.2	700 - 1200	940	350 - 600	1	4	10
	10001.1190.0.2	950 - 1450	1190	475 - 725	1	4	10
	10001.1440.0.2	1200 - 1700	1440	600 - 850	2	6	10
	10001.1940.0.2	1700 - 2200	1940	850 - 1100	2	8	10
*	10466.1940.0.2	1700 - 2200	1940	850 - 1100	3	11	10
Mantarbaşlı Pimli	10052.0940.0.2	700 - 1200	940	350 - 600	1	4	10
	10052.1190.0.2	950 - 1450	1190	475 - 725	1	4	10
	10052.1440.0.2	1200 - 1700	1440	600 - 850	2	6	10
	10052.1940.0.2	1700 - 2200	1940	850 - 1100	2	8	10
Pimsiz	11072.0940.0.2	700 - 1200	940	350 - 600	-	4	10
	11072.1190.0.2	950 - 1450	1190	475 - 725	-	4	10
	11072.1440.0.2	1200 - 1700	1440	600 - 850	-	6	10
	10052.1940.0.2	1700 - 2200	1940	850 - 1100	-	8	10


* Fransız balkon uygulamaları içindir.








	Ürün Kodu	KLY	Boy	KY	KP	Vida	PA
Devirmeli, Düz Pimli	10002.0340.0.2	340 - 420	340	131	-	2	10
	10002.0420.0.2	420 - 550	420	155	-	3	10
	10002.0590.0.2	520 - 720	590	200	-	3	10
	10002.0720.0.2	720 - 850	720	250	1	4	10
	10002.0970.0.2	850 - 1100	970	400	1	6	10
	10002.1220.0.2	1100 - 1350	1220	500	1	7	10
	10002.1470.0.2	1350 - 1600	1470	600	2	7	10
	10002.1720.0.2	1600 - 1850	1720	600	2	8	10
	10002.1970.0.2	1850 - 2100	1970	980	2	10	10
	10002.2220.0.2	2100 - 2350	2220	980	3	11	10
Devirmeli, Mantarbaşlı Pimli	10053.0720.0.2	720 - 850	720	250	1	4	10
	10053.0970.0.2	850 - 1100	970	400	1	6	10
	10053.1220.0.2	1100 - 1350	1220	500	1	7	10
	10053.1470.0.2	1350 - 1600	1470	600	2	7	10
	10053.1720.0.2	1600 - 1850	1720	600	2	8	10
	10053.1970.0.2	1850 - 2100	1970	980	2	10	10
	10053.2220.0.2	2100 - 2350	2220	980	3	11	10
Devirmesiz, Düz Pimli	10064.0420.0.2	420 - 550	420	155	1	3	10
	10064.0590.0.2	520 - 720	590	200	1	3	10
	10064.0720.0.2	720 - 850	720	250	2	4	10
	10064.0970.0.2	850 - 1100	970	400	2	6	10
	10064.1220.0.2	1100 - 1350	1220	500	2	7	10
	10064.1470.0.2	1350 - 1600	1470	600	3	7	10
	10064.1720.0.2	1600 - 1850	1720	600	3	8	10
	10064.1970.0.2	1850 - 2100	1970	980	3	10	10
	10064.2220.0.2	2100 - 2350	2220	980	4	11	10
	Devirmesiz, Mantarbaşlı Pimli	10065.0420.0.2	420 - 550	420	155	1	3
10065.0590.0.2		520 - 720	590	200	1	3	10
10065.0720.0.2		720 - 850	720	250	2	4	10
10065.0970.0.2		850 - 1100	970	400	2	6	10
10065.1220.0.2		1100 - 1350	1220	500	2	7	10
10065.1470.0.2		1350 - 1600	1470	600	3	7	10
10065.1720.0.2		1600 - 1850	1720	600	3	8	10
10065.1970.0.2		1850 - 2100	1970	980	3	10	10
10065.2220.0.2		2100 - 2350	2220	980	4	11	10




Devirmeli




Devirmesiz

Çift Açılım KYO İspanyolet 30-40 Eksen
Müşteri Bilgilendirme Formu



ACCADO



	Ürün Kodu	KLY	Boy	KY	KP	Vida	PA
Düz Pimli 30 Eksen	10620.0270.0.2	440 - 530	270	210 - 265	-	-	10
	10620.0440.0.2	530 - 700	440	265 - 350	-	2	10
	10620.0940.0.2	700 - 1200	940	350 - 600	1	4	10
	10620.1190.0.2	950 - 1450	1190	475 - 725	1	4	10
	* 10620.1190.2.2	950 - 1450	1190	475 - 725	* 2	4	10
	10620.1440.0.2	1200 - 1700	1440	600 - 850	2	6	10
	10620.1940.0.2	1700 - 2200	1940	850 - 1100	2	8	10
* 10620.1940.1.2	* 1900 - 2200	1940	850 - 1100	* 3	11	10	
Düz Pimli 40 Eksen	10621.0270.0.2	440 - 530	270	210 - 265	-	-	10
	10621.0440.0.2	530 - 700	440	265 - 350	-	2	10
	10621.0940.0.2	700 - 1200	940	350 - 600	1	4	10
	10621.1190.0.2	950 - 1450	1190	475 - 725	1	4	10
	* 10621.1190.2.2	950 - 1450	1190	475 - 725	* 2	4	10
	10621.1440.0.2	1200 - 1700	1440	600 - 850	2	6	10
	10621.1940.0.2	1700 - 2200	1940	850 - 1100	2	8	10
* 10621.1940.1.2	* 1900 - 2200	1940	850 - 1100	* 3	11	10	
Mantarbaşlı Pimli 30 Eksen	10622.0940.0.2	700 - 1200	940	350 - 600	1	4	10
	10622.1190.0.2	950 - 1450	1190	475 - 725	1	4	10
	* 10622.1190.2.2	950 - 1450	1190	475 - 725	* 2	4	10
	10622.1440.0.2	1200 - 1700	1440	600 - 850	2	6	10
	10622.1940.0.2	1700 - 2200	1940	850 - 1100	2	8	10
	* 10622.1940.1.2	* 1900 - 2200	1940	850 - 1100	* 3	11	10
Mantarbaşlı Pimli 40 Eksen	10623.0940.0.2	700 - 1200	940	350 - 600	1	4	10
	10623.1190.0.2	950 - 1450	1190	475 - 725	1	4	10
	* 10623.1190.2.2	950 - 1450	1190	475 - 725	* 2	4	10
	10623.1440.0.2	1200 - 1700	1440	600 - 850	2	6	10
	10623.1940.0.2	1700 - 2200	1940	850 - 1100	2	8	10
	* 10623.1940.1.2	* 1900 - 2200	1940	850 - 1100	* 3	11	10

